ĵ		Approved For	701114	2 Wian	KECUK	283_00156=000300050123-4
	CT: (Optional)	, , , , , , , , , , , , , , , , , , ,			•	
STAT		Propose			_	
FROM:					EXTENSION	DD/A 79-0578/3
STA	T Acting	EO/DDA				DATE 12 April 79
TO: (C building	Officer designation	n, room number, and	RECEIVED	FORWARDED	OFFICER'S INITIALS	COMMENTS (Number each comment to show from whom to whom. Draw a line across column after each comment.)
1.	5	A				Attached for your review
2.						Notice concerning smoking and nonsmoking areas in the
3.						building. The Notice has been drafted pursuant to GSA regulations which were signed
4.7				1405		last week and presumably will be published shortly.  As I am sure you are aware this is a sticky area. Would
5.						you please review and forward any comments to me by COB,
6.						27 April.  What the Office of Logistic hopes will come out of this
<b>7.</b> %						review will be opinions of various offices and a list of potential problem areas
8.						that will result from the Notice.
9.						A-EO/DDA S
10.						Att
11.	Toi	n: Suggest	hat, i	n the	cafeter	ia, they designate
12.		noking" areas	rathe	r than	''no si	oking", or perhaps
13.		etty crummy.	100			"no smoking" areas are
14.						OK CU III.
15.	***************************************					

	ed For Release 2	ECK				
ē	UNCLASSIFIED		CONFIDE	NTIA	L _	SECRET
•	OFFI	CIA	L ROUTING	G SI	LIP	
то	The state of the s					
1	DD/Pers 5E 58 HQS.		7 9	Mi .	. 13 <i>1</i> 2	,
2						
3	D/Pers 5E 58 HQS.		ž A	APR	4670	1
4	EO-DI	0/	4	182 84	10000	-0
5		•				
6						
	ACTION	·	DIRECT REPLY		PREPARE	REPLY
	APPROVAL DISPATCH RECOMMENDATION					
COMMENT FILE RETURN CONGURRENCE INFORMATION SIGNATURE						
Rer	narks:		INFORMATION		SIGNATU	RE
Whi par in the ove		see arag ms a f sp s to	I the attache some possibly graph 2(a) produced paragraph bace to accombo be a reason We do not s	te prochibate de la prochibate de la proche	raft no	otice. areas, smoking rning

	ROU	TING AND	RECOR	D SHEET
SUBJECT: (Optional)				m 0,419
	opose			PERS 79-2449
FROM: Acting EO/E			EXTENSION	DD/A 79-0578/3
Acting EO/D	DDA			DATE 12 April 79
TO: (Officer designation, room (	number, and	DATE	OFFICER'S	COMMENTS (Number each comment to show from who
building)		EIVED FORWARDED	INITIALS	to whom. Draw a line across column after each commen
1.	-/0/21	3 APA	1	
Sullan	101			Attached for your review
2.		1 , ./	DL.	is a proposed Headquarters Notice concerning smoking
Γ <sub>.</sub>	\\ \\ \\ /\	16/A 4/16	OM	and nonsmoking areas in the
_l		11/1	<u> </u>	building. The Notice has
$\mathcal{O}_{1}$			1/	∤been drafted pursuant to GSA
Paul			1.0	regulations which were signe
4.				last week and presumably wil
				be published shortly. As I am sure you are aware
				this is a sticky area. Woul
<b>5</b> . /				you please review and forwar
1 Dera				any comments to me by COB,
6.				27 April.
				What the Office of Logisti
				hopes will come out of this review will be opinions of
<b>7</b> .				various offices and a list
				of potential problem areas
8.				that will result from the
				Notice.
9.				
				A-EO/DDA
10.				S. S.
				1
•				Att
11.				
12.				
10				1
13.				·
14.				1
16			_	-
15.				

LOGISTICS

HN
----

STAT

## SMOKING IN AGENCY-OCCUPIED BUILDINGS AND FACILITIES

- 1. A policy on smoking in Federally controlled buildings has been under review for almost a year. A preliminary regulation, published in the Federal Register early in September 1978, has been reviewed by this Agency, as well as by other elements of the Government, in an effort to provide an equitable balance between the rights of smokers and nonsmokers alike. As a result of considerable thought and negotiation, the following regulation is based on Title 41, Code of Federal Regulations, Part 101-20.109-10, dated 25 August 1978.
- 2. Effective , smoking will be prohibited in the following places:
  - a. Auditoriums, classrooms, conference rooms, and elevators. "No Smoking" signs will be posted inside, and receptacles for smoking refuse will be placed outside the entrances.
    - b. Shuttle vehicles.
  - c. Areas where there are flammable liquids, gases, and vapors and all locations where there is a collection of readily ignitable combustible material.
  - d. Libraries, except in the nonstack areas specifically designated as "Smoking" areas.
  - e. The "No Smoking" areas established in cafeterias and identified by appropriate "No Smoking" signs.
- 3. Employees occupying a private office are authorized to designate that office as a "No Smoking" area.
- 4. Smoking in open work spaces may be allowed, and supervisors should plan work space so that employees who desire "No Smoking" areas can be accommodated provided:
  - a. Efficiency of work units will not be impaired.
  - b. Additional space will not be required.
  - c. Costly alterations or procurement of additional office equipment will not be necessary.

	LA)
HN	mande of
LIM	STA
	017

- 5. In medical facilities, smoking will be restricted to waiting areas, staff lounges, private offices, and specially designated areas. Waiting areas will be divided into "Smoking" and "No Smoking" sections whenever possible.
- 6. Approved signs will be conspicuously placed alerting employees to areas designated "Smoking" or "No Smoking." Additionally, "Thank You For Not Smoking" tent card signs will be available in Agency supply rooms for employees wishing to display them in private offices.
- 7. Every effort will be made to accommodate the personal desires of individuals in line with reasonable and effective management of the Agency. I'm sure we can maintain a fair and equitable program in keeping with this Federal regulation on the basis of mutual respect and concern for the desires and welfare of one another. With the good faith and cooperation of each employee, the Agency will have an effective program to control smoking in our buildings and facilities.

Don I. Wortman
Deputy Director
for
Administration

DISTRIBUTION: ALL EMPLOYEES